



## RECHTECKSTANGEN nach UNI EN 12167

Standard Legierung: CuZn39Pb3 = CW614N

Dicke mm	Breite mm	Gewicht mm	Dicke mm	Breite mm	Gewicht mm	Dicke mm	Breite mm	Gewicht mm
2	10	0,168	4	45	1,512	6	50	2,520
2	12	0,202	4	50	1,680	6	55	2,772
2	15	0,252	4	55	1,848	6	60	3,024
2	18	0,302	4	60	2,016	6	65	3,276
2	20	0,336	4	70	2,352	6	70	3,528
2	25	0,420	4	75	2,520	6	75	3,780
2	30	0,504	4	80	2,688	6	80	4,032
2	35	0,588	4	100	3,360	6	90	4,536
2	40	0,672	5	8	0,336	6	100	5,040
2	45	0,756	5	10	0,420	6	120	6,048
2	50	0,840	5	12	0,504	6	150	7,560
2	60	1,008	5	15	0,630	7	10	0,588
3	8	0,202	5	18	0,756	7	15	0,882
3	10	0,252	5	20	0,840	7	20	1,176
3	12	0,302	5	25	1,050	7	25	1,470
3	14	0,353	5	30	1,260	7	30	1,764
3	15	0,378	5	35	1,470	7	35	2,058
3	18	0,454	5	40	1,680	7	40	2,352
3	20	0,504	5	45	1,890	7	50	2,940
3	22	0,554	5	50	2,100	7	55	3,234
3	25	0,630	5	55	2,310	7	60	3,528
3	30	0,756	5	60	2,520	7	70	4,116
3	35	0,882	5	65	2,730	7	80	4,704
3	40	1,008	5	70	2,940	7	100	5,880
3	45	1,134	5	75	3,150	7	120	7,056
3	50	1,260	5	80	3,360	8	10	0,672
3	55	1,386	5	90	3,780	8	12	0,806
3	60	1,512	5	100	4,200	8	15	1,008
3	70	1,764	5	120	5,040	8	18	1,210
3	80	2,016	6	8	0,403	8	20	1,344
4	6	0,202	6	10	0,504	8	25	1,680
4	8	0,269	6	12	0,605	8	30	2,016
4	10	0,336	6	15	0,756	8	35	2,352
4	12	0,403	6	16	0,806	8	40	2,688
4	15	0,504	6	18	0,907	8	45	3,024
4	18	0,605	6	20	1,008	8	50	3,360
4	20	0,672	6	25	1,260	8	55	3,696
4	25	0,840	6	30	1,512	8	60	4,032
4	30	1,008	6	35	1,764	8	65	4,368
4	35	1,176	6	40	2,016	8	70	4,704
4	40	1,344	6	45	2,268	8	80	5,376



## RECHTECKSTANGEN nach UNI EN 12167

Standard Legierung: CuZn39Pb3 = CW614N

Dicke mm	Breite mm	Gewicht mm	Dicke mm	Breite mm	Gewicht mm	Dicke mm	Breite mm	Gewicht mm
8	100	6,720	15	80	10,080	35	70	20,580
8	120	8,064	15	90	11,340	35	80	23,520
10	12	1,008	15	100	12,600	40	50	16,800
10	15	1,260	15	120	15,120	40	60	20,160
10	18	1,512	15	150	18,900	40	70	23,520
10	20	1,680	16	20	2,688	40	80	26,880
10	22	1,848	20	25	4,200	40	90	30,240
10	25	2,100	20	30	5,040	40	100	33,600
10	30	2,520	20	35	5,880	40	120	40,320
10	35	2,940	20	40	6,720	40	150	50,400
10	40	3,360	20	45	7,560	45	60	22,680
10	45	3,780	20	50	8,400	50	60	25,200
10	50	4,200	20	55	9,240	50	70	29,400
10	55	4,620	20	60	10,080	50	80	33,600
10	60	5,040	20	65	10,920	50	90	37,800
10	70	5,880	20	70	11,760	50	100	42,000
10	80	6,720	20	80	13,440	50	120	50,400
10	90	7,560	20	100	16,800	60	80	40,320
10	100	8,400	20	120	20,160	60	150	75,600
10	120	10,080	20	150	25,200			
10	150	12,600	25	30	6,300			
12	15	1,512	25	35	7,350			
12	20	2,016	25	40	8,400			
12	25	2,520	25	45	9,450			
12	30	3,024	25	50	10,500			
12	35	3,528	25	60	12,600			
12	40	4,032	25	70	14,700			
12	45	4,536	25	80	16,800			
12	50	5,040	25	100	21,000			
12	55	5,544	25	120	25,200			
12	60	6,048	25	150	31,500			
12	70	7,056	30	35	8,820			
12	80	8,064	30	40	10,080			
12	100	10,080	30	45	11,340			
12	120	12,096	30	50	12,600			
12	150	15,120	30	60	15,120			
15	18	2,268	30	70	17,640			
15	20	2,520	30	80	20,160			
15	25	3,150	30	90	22,680			
15	30	3,780	30	100	25,200			
15	35	4,410	30	120	30,240			
15	40	5,040	30	150	37,800			
15	45	5,670	35	40	11,760			
15	50	6,300	35	45	13,230			
15	60	7,560	35	50	14,700			
15	70	8,820	35	60	17,640			